

# Magnetic Bases

## Antennas bases and cable assemblies

Page 1 of 2

ZCG manufacture a wide range of magnetic bases, suited for use on hire cars or an ever-changing fleet of vehicles.

These magnetic bases are typically mounted onto a vehicles roof and removed when not required. The PVC matted pad on the bottom will prevent scratching of your vehicles paintwork surface to which the base is applied.

Alternative connectors, adaptors and water-proofing and other installation accessories are all available separately

### MGB-OB

Construction	Black powdercoated base and 5/16"-26 TPI threaded brass termination
Diameter	10.5cm with internal magnet
Cable	4.7 metres MIL-SPEC RG58A/U stranded, side exits from base
Connector	No connector, please specify when ordering
Included Accessories	PVC matted adhesive pad attached to base of mount

### MGB-UHF

Construction	Black powdercoated base and UHF female termination
Diameter	10.5cm with internal magnet
Cable	4.7 metres MIL-SPEC RG58A/U stranded, side exits from base
Connector	UHF male supplied not fitted - or specify requirements
Included Accessories	PVC matted adhesive pad attached to base of mount



Please see following page for more models...

# Magnetic Bases

## Antennas bases and cable assemblies

Page 2 of 2

### MGB-XB

Construction	Black powdercoated base and M6 brass termination
Diameter	10.5cm with internal magnet
Cable	4.5 metres MIL-SPEC RG58A/U, side exits from base <u>or specify cable &amp; conduit length requirements</u>
Connector	No connector, please specify when ordering
Included Accessories	Rubber adhesive pad attached to base of mount



### ZMB-90

Construction	Black powdercoated base and UHF termination
Diameter	90mm with internal magnet
Cable	5 metres MIL-SPEC RG58, side exits from base
Connector	UHF Male PL259 - or specify requirements
Included Accessories	Scratch reduction pad on bottom of base



### ZMB-90T

Construction	Black powdercoated base and UHF termination
Diameter	90mm with internal magnet
Cable	1.5 metres MIL-SPEC RG58, side exits from base
Connector	Gold plated SMA male termination
Included Accessories	Scratch reduction pad on bottom of base



# Magnetic Bases

## Antennas bases and cable assemblies

Page 2 of 2

### MGB-GP-2R

Construction	Black powdercoated magnetic base, OB-2 5/16"-26TPI threaded mount, red conduit encased coaxial cable and termination
Diameter	180mm with internal magnet
Cable	2.0 metres MIL-SPEC RG58A/U encased in flexible red conduit or specify cable & conduit length requirements
Connector	N-type male as standard or specify requirements
Included Accessories	Scratch reduction adhesive pad attached to base of mount



### MGB-GP-2B

Construction	Black powdercoated magnetic base, OB-2 5/16"-26TPI threaded mount, black conduit encased coaxial cable and termination
Diameter	180mm with internal magnet
Cable	2.0 metres MIL-SPEC RG58A/U encased in flexible black conduit or specify cable & conduit length requirements
Connector	N-type male as standard or specify requirements
Included Accessories	Scratch reduction adhesive pad attached to base of mount

